RUSTIKTM



BF1511-110-001

STANDARD: PB4 Thermostatic Shower System

SPECIFICATIONS



Components included

- BF1508-110: Rainhead with vertical ceiling arm
- 103604-110: Handshower
- 103608-110: Solid brass wallbar
- 105007-110: 60" flexible metal hose
- BF1523-110: 1/2" Pressure balance valve with diverter and decorative trim
- 102847-110: Wall outlet

Colors (Finishes)

• Chrome : BF1511-110-001

Certifications

The specified model meets or exceeds the following standards;



See the following sheets for the technical features of each component.

Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9



RUSTIK^{MC}



BF1508 STANDARD: Rainhead with vertical ceiling arm

SPECIFICATIONS

Features

- Male water inlet 1/2NPT
- Diameter: 225 mm (8 7/8")
- Anti-scale system with soft sprays •
- Adjustable orientation swivel
- Solid brass construction rainhead •

Colors (Finishes)

Chrome : BF1508-110 •

Certifications

The specified model meets or exceeds the following standards;





Packaging

- **Dimensions**: 465 mm x 330 mm x 160 mm (18 1/4" x 13" x 6 1/4")
- **Volume**: 0.02 cu m (0.87 cu ft) .
- **Total weight**: 2.15 kg (4.74 lb)

Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





RUSTIK

BF1529

STANDARD: Handshower, wallbar and 60" flexible solid brass hose assembly

SPECIFICATIONS

Features

Handshower (13604-110)

- Dimension: 83 mm (3 ¹/₄")
- Water G¹/₂ male inlet
- Max. flow 9.5 L/min (2.5 gpm) to 80 psi
- Solid brass construction

Wallbar (103608-110)

- Total height of 650 mm (25 ⁵/₈")
- Locking system of 1/4 turn
- Solid brass construction

60" flexible solid brass hose (105007-110)

• 1/2 female connection

Color (Finish)

• Chrome : BF1529-110

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



Packaging

- **Dimensions** : 832 mm x 152 mm x 89 mm (32 ³/₄" x 6" x 3 ¹/₂")
- Volume : 0.40 cu ft (0.011 cu m)
- **Total weight**: 4.07 lb (1.85 kg)




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details.**





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9



RUSTIKTM

BF1523



1/2" Pressure Balance Valve With Diverter and Decorative Trim

SPECIFICATIONS

Features

- No visible screws
- 1/2" male inlet NPT threaded or welded
- Shut-off valves included
- Total adjustment of 19 mm (3/4"
- Support for better stability during installation included
- Can be installed back-to-back
- Push-button diverter with automatic reset
- Solid brass construction

Colors (Finishes)

Chrome : BF1523-110 •

Certifications

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1





Packaging

- Dimensions: 362mm x 184mm x 191mm (14 1/4" x 7 1/4" x 7 1/2")
- Volume: 0.45 cu ft (0.013 cu m)
- **Total weight**: 4.56 lb (2.07 kg)

Maximum flow rate

20 liters/min. (5.28 gallons/min.) at 60 psi




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



Sainte-Marie (Quebec) Canada G6E 1G9

1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

f 🛈 😫 🛗



102847 Wall Outlet SPECIFICATIONS

Features

- Male or female water inlet 1/2NPT
- Male water oulet G1/2
- Solid brass construction
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

Colors (Finishes)

- Chrome: 102847-110
- Brushed Nickel PVD: 102847-120
- Matte Black: 102847-160

Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 rtek ASME A112.18.1




Installation Notes

This product must be installed following the installation instructions provided.

WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2nd Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

